


## Analysis Outline:



# RNA seq Analysis: Tutle yolk tissues following pesticide (Dieldrin) treatment

Neranjan Perera, Kaitlin Aldridge, Vijender Singh, Jill Wegryzn

April 25, 2017

## Goal

The aim is to identify transcripts that are differentially expressed in tutle yolk tissues following pesticide (Dieldrin) treatment. In total 5 samples were collected, the control sample was treated with DMSO(T177) and the four treatment samples were treated with pesticide dieldrin (T97, T126, 202 and T306). There is variation in the pesticide crossing (or not crossing) the eggshell and getting to the yolk (so there is some unreliability in this regard). We will be interested in the largest fold-changes at target genes that are being differentially regulated in response

## RAW READ Processing

### Input Data

Raw Data : Format of file .fastq  
Loc: \$WORK\_DIR/original\_fastq

For each sample the raw sequence reads were split into 8 total files of which 4 corresponds to forward reads(R1) and other 4 for reverse reads(R2).

```
# T126 Sample
# T126_S2_L001_R1_001.fastq  T126_S2_L001_R2_001.fastq  T126_S2_L002_R1_001.f
astq  T126_S2_L002_R2_001.fastq
# T126_S2_L003_R1_001.fastq  T126_S2_L003_R2_001.fastq  T126_S2_L004_R1_001.f
astq  T126_S2_L004_R2_001.fastq
# T177 Sample
# T177_S1_L001_R1_001.fastq  T177_S1_L001_R2_001.fastq  T177_S1_L002_R1_001.f
astq  T177_S1_L002_R2_001.fastq
# T177_S1_L003_R1_001.fastq  T177_S1_L003_R2_001.fastq  T177_S1_L004_R1_001.f
astq  T177_S1_L004_R2_001.fastq
# T202 Sample
# T202_S5_L001_R1_001.fastq  T202_S5_L001_R2_001.fastq  T202_S5_L002_R1_001.f
astq  T202_S5_L002_R2_001.fastq
# T202_S5_L003_R1_001.fastq  T202_S5_L003_R2_001.fastq  T202_S5_L004_R1_001.f
astq  T202_S5_L004_R2_001.fastq
# T306 Sample
# T306_S3_L001_R1_001.fastq  T306_S3_L001_R2_001.fastq  T306_S3_L002_R1_001.f
astq  T306_S3_L002_R2_001.fastq
# T306_S3_L003_R1_001.fastq  T306_S3_L003_R2_001.fastq  T306_S3_L004_R1_001.f
astq  T306_S3_L004_R2_001.fastq
# T97 Sample
# T97_S4_L001_R1_001.fastq  T97_S4_L001_R2_001.fastq  T97_S4_L002_R1_001.fast
```

```
q  T97_S4_L002_R2_001.fastq  
# T97_S4_L003_R1_001.fastq  T97_S4_L003_R2_001.fastq  T97_S4_L004_R1_001.fast  
q  T97_S4_L004_R2_001.fastq
```

**cat** commands were used to put the reads from four files into a single file.

```
# cat TXXX_S5_L001_R1_001.fastq TXXX_S5_L002_R1_001.fastq TXXX_S5_L003_R1_001  
.fastq TXXX_S5_L004_R1_001.fastq > $WORK_DIR/qc/TXXX_SX.R1.fastq  
# cat TXXX_S5_L001_R2_001.fastq TXXX_S5_L002_R2_001.fastq TXXX_S5_L003_R2_001  
.fastq TXXX_S5_L004_R2_001.fastq > $WORK_DIR/qc/TXXX_SX.R2.fastq  
#  
# XXX = 97, 126, 177, 202, 306
```

This leads to two raw reads files per sample, one for the forward reads and other for reverse reads. The new fastq files are located at **\$WORK\_DIR/qc**. The list of new files is

```
# T126_S2.R1.fastq  T126_S2.R2.fastq  
# T177_S1.R1.fastq  T177_S1.R2.fastq  
# T202_S5.R1.fastq  T202_S5.R2.fastq  
# T306_S3.R1.fastq  T306_S3.R2.fastq  
# T97_S4.R1.fastq  T97_S4.R2.fastq
```

The quality of the raw reads is assessed with **fastqc** tool. The results from fastqc are located at **\$WORK\_DIR/qc/fastqc\_raw**.

```
# fastqc outputs  
# multiqc_data  
# multiqc_report.html
```

Firefox is ideal to visualise the **multiqc\_report.html** result file. If you have X11 (refer : <http://bioinformatics.uconn.edu/understanding-the-bbc-bioinformatics-facility-cluster-and-sge/>)forwarding enabled then command **\$ firefox multiqc\_report.html** in your cluster terminal will open the file for inspection. The avearge quality scores at each base over the reads has a PHRED score  $\geq 30$ . However there will be reads in which the quality of bases is below acceptable level, to filter-out such reads **Sickle** was used. The general command that was used to filter the reads was

```
sickle pe -f TXXX_SX.R1.fastq -r TXXX_SX.R2.fastq -t sanger -o TXXX_SX.R1.trimmed.fastq -p TXXX_SX.R2.trimmed.fastq -s TXXX_SX.s.fastq -q 30 -l 40 -n
```

### code explanation

command | *explanation*

**sickle** | execute sickle command

**pe** | paired-end sequence trimming

**-f TXXX\_SX.R1.fastq** | paired-end forward fastq file

**-r TXXX\_SX.R2.fastq** | paired-end reverse fastq file

**-t sanger** | quality type

**-o TXXX\_SX.R1.trimmed.fastq** | trimmed output forward file name


- p TXXX\_SX.R2.trimmed.fastq | trimmed output reverse file name
- s TXXX\_SX.s.fastq | trimmed singles file.
- q 25 | minimum quality score cutoff here it is 25.
- l 40 | minimum read length to keep the read (here 40bps)
- n | Truncate sequences at position of first N

The trimmed reads from the sickle are stored at **\$WORK\_DIR/qc** and the new files have suffix **trimmed.fastq**.

### Aligning to existing turtle Genomes.


Two turtle genomes, Chinese softshell turtle and green shell turtle, were available which could have potentially served as reference genome provided there is a good alignment rate.

The reads were aligned to chinese softshell turtle (*Pelodiscus sinensis*) genome using **STAR** aligner. The alignment results are projected in the graph below::



As can be seen from the graph that less than 20% of reads aligned to the chinese softshell turtle. Because of this poor alignment rate we did not use chinese softshell turtle genome as reference.

The other turtle genome that was available was green sea turtle (*Chelonia mydas*). A similar mapping approach with STAR aligner gave a better alignment around 50%, but even this is not good enough to serve as reference. The results of alignment from green sea turtle are shown in the graph below:



As the alignment rates of reads with available turtle genomes were below satisfactory levels we decided to do denovo transcriptome assembly using [Trinity](#).

### ### Trinity: denovo Transcriptome assembly

The trimmed and quality checked reads were used in Trinity. The Script is located at  
**\$WORK\_DIR/Trinity\_result/Trinity/scripts/trinity\_122116.sh**

```
#!/bin/bash
## -N trinity_turtle
## -M vijender.singh@uconn.edu
## -q highmem.q
## -m bea
## -S /bin/bash
## -cwd
## -pe smp 16
## -o /home/vsingh/jobs_out_err/turtle_trinity_$JOB_ID.out
## -e /home/vsingh/jobs_out_err/turtle_trinity_$JOB_ID.err

module load trinity/2.2.0

cp $WORK_DIR/qc/$1_*R1.trimmed.fastq /tempdata3/vjsingh/turtle/
cp $WORK_DIR/qc/$1_*R2.trimmed.fastq /tempdata3/vjsingh/turtle/
#/tempdata3/vjsingh/turtle
mkdir -p /tempdata3/vjsingh/turtle/Trinity/$1_trinity/Trinity

Trinity --seqType fq --max_memory 256G --left /tempdata3/vjsingh/turtle/$1_*.R1.trimmed.fastq --right /tempdata3/vjsingh/turtle/$1_*.R2.trimmed.fastq --CPU 16 --min_contig_length 300 --output /tempdata3/vjsingh/turtle/Trinity/$1_trinity --normalize_reads
```

## Code explanation

In above script **\$1** is a varibale that is sequentialy replaced by T97, T126, T177, T202 and T136. The first 10 lines beginning with # refers to resources and environment avriables that are requested at the cluster for Trinity job.

```
module load trinity/2.2.0 | Loads Trinity
cp $WORK_DIR/qc/$1_*R1.trimmed.fastq /tempdata3/vjsingh/turtle/ |
cp $WORK_DIR/qc/$1_*R2.trimmed.fastq /tempdata3/vjsingh/turtle/ | Copies fastq file
form /archive to /tempdata3 for effecient execution of trinity.
mkdir -p /tempdata3/vjsingh/turtle/Trinity/$1_trinity/Trinity | Makes directory
for each sample to hold output.
Trinity | Runs Trinity
--seqType fq | input sequence type, fq=fastq
--max_memory 256G | Specifies the RAM for running the job
--left /tempdata3/vjsingh/turtle/$1_*.R1.trimmed.fastq | Forward read file
--right /tempdata3/vjsingh/turtle/$1_*.R2.trimmed.fast | Reverse read file
--CPU 16 | no of CPUs requested
--min_contig_length 300 | minimum length of contiguous sequence --output
/tempdata3/vjsingh/turtle/Trinity/$1_trinity | Output directory
--normalize_reads | run in silico normalization of reads.
```

The results **Trinity.fasta** from the Trinity runs were saved at  
**\$WORK\_DIR/Trinity\_result/Trinity/TXXX\_trinity/Trinity\_assembly. XXX= 97, 126, 177, 206 and 306.**

**Trinity.fasta** contains the Trinity assembled contig in .fasta format. Each of the assemblies were evaluated with help fo perlscript **TrinityStats.pl**. The script is part of Trinity pacakge.

```
perl /opt/bioinformatics/trinity2/util/TrinityStats.pl $WORK_DIR/Trinity_resu
lt/Trinity/TXXX_trinity/Trinity_assembly/Trinity.fasta
```

The results are summarised in the [google\\_document](#) in the sheet Trinity de novo assembly.

	Trinity assembly results				
Trinity	T126	T177	T202	T306	T97
Total transcripts	459525	455342	451602	366388	398661
Total genes	391824	381534	381737	314217	342182
Average length	908	873	904	845	846
N50	1278	1190	1272	1135	1136
GC%	42.38	42.87	42.27	42.57	42.64

Since the number of contigs were very high (>365000) so the contigs were filtered based on their expression levels. RSEM was used to estimate the abundance of the transcripts.

```
/opt/bioinformatics/trinity2/util/align_and_estimate_abundance.pl \
    --transcripts /tempdata3/vjsingh/turtle/Trinity/$1_trinity/Trinity.fasta \
    --seqType fq \
    --left $WORK_DIR/qc/$1_*R1.trimmed.fastq \
    --right $WORK_DIR/qc/$1_*R2.trimmed.fastq \
    --est_method RSEM \
    --aln_method bowtie \
    --thread_count 4 \
    --trinity_mode \
    --output_dir $WORK_DIR/Trinity_result/Trinity/$1_trinity/Trinity/ \
    --prep_reference \
    --output_prefix $1
```

Transcripts whose abundance was filter with threshold value of FPKM value as 1. All Transcripts with FPKM abundance values less than 1 are filtered out.

```
/opt/bioinformatics/trinity2/util/filter_fasta_by_rsem_values.pl \
    --rsem_output=$WORK_DIR/Trinity_result/Trinity/TXXX_trinity/RSEM_abundance_results/TXXX.isoforms.results \
    --fasta=$WORK_DIR/Trinity_result/Trinity/TXXX_trinity/Trinity_assembly/Trinity.fasta \
    --output=$WORK_DIR/Trinity_result/Trinity/TXXX_trinity/Trinity_filtered \
    --fpkm_cutoff=1 \
    --isopct_cutoff=1
```

The stats of the filtered Trinity.fasta files is summarised in the [google document](#) in the sheet Trinity de novo assembly with coloumns grouped under heading "After Filtering fpkm\_cutoff=1,isopct\_cutoff=1".

	After Filtering fpkm_cutoff=1,isopct_cutoff=1				
Trinity	T126	T177	T202	T306	T97
Total transcripts	101141	132948	105427	121913	144012
Total genes	79178	109390	84034	102961	119888
Average length	1333	1115	1268	1066	1076
N50	2066	1671	1948	1598	1648
GC%	42.79	43.26	42.67	42.9	42.92

The number of contigs/transcripts in each sample ranges from 101141 to 144012. In order to get a representative transcriptome for differential expression analysis the filtered fasta files are clustered using vsearch. This was achieved in 2 steps, step first all filtered fasta files are merged into single fasta file and step two. Vsearch programm was run with merged fasta file.

## **STEP1**

```
cat T306_Trinity_fpkm_filtered.fasta T202_Trinity_fpkm_filtered.fasta T177_Trinity_fpkm_filtered.fasta T126_Trinity_fpkm_filtered.fasta T97_Trinity_fpkm_filtered.fasta >> Trinity_merged.fasta
```

## **STEP2**

```
vsearch --cluster_fast Trinity_merged.fasta \
--threads 16 \
--id 0.9 \
--centroids vsearch_merged_cluster.fasta \
--uc clusters.uc
```

The output file is located at

`/archive/OBrien_Turtle_RNASeq/Trinity_result/Trinity/cluster_results/vsearch_merged_cluster.fasta`.

In order to calculate differential expression of transcripts from denovo assembled reference transcriptome generated from last step following steps were followed,

1. **STEP1** : Generate **bowtie2** index of transcriptome.
2. **STEP2** : Align reads to reference genome in each sample with **bowtie2**.
3. **STEP3** : Evaluate reproduciblity/variation between samples using PCA and distance-matrix.
4. **STEP4** : Measure expression level of each transcript with express.
5. **STEP5** : Format express output for use in gfold for fold change estimation. R code.
6. **STEP6** : Find differentially expressed transcripts with gfold.
7. **STEP7** : Blast and identify the differentially expressed transcripts.

Codes used in each step are given below.

## **STEP1**

```
module load bowtie2
bowtie2-build -f /archive/OBrien_Turtle_RNASeq/Trinity_result/gfold/Trinity_result/Trinity/cluster_results/vsearch_merged_cluster.fasta turtle_bowtie2_index
```

## **STEP2**

```
module load bowtie2
bowtie2 -x turtle_bowtie2_index \
-1 $WORK_DIR/qc/$1_*R1.trimmed.fastq/TXXX_S2.R1.trimmed.fastq \
-2 $WORK_DIR/qc/$1_*R1.trimmed.fastq/TXXX_S2.R2.trimmed.fastq \
```

```

-S T1XXX_bowtie2.sam

module load samtools/1.3.1
samtools view -bhS TXXX_bowtie2.sam | samtools sort - TXXX_sorted

```

**STEP3**

```

directory <- "/Users/vijendersingh/Documents/Data_analysis_projects/turtle"
outputPrefix <- "Turtle"
setwd(directory)

express_file_1 <- data.frame(read.table("T97_results.xprs",sep="\t", header = TRUE))
express_file_2 <- data.frame(read.table("T126_results.xprs",sep="\t", header = TRUE))
express_file_3 <- data.frame(read.table("T177_results.xprs",sep="\t", header = TRUE))
express_file_4 <- data.frame(read.table("T202_results.xprs",sep="\t", header = TRUE))
express_file_5 <- data.frame(read.table("T306_results.xprs",sep="\t", header = TRUE))

subset1 <- data.frame(express_file_1$target_id, express_file_1$tot_counts)
subset2 <- data.frame(express_file_2$target_id, express_file_2$tot_counts)
subset3 <- data.frame(express_file_3$target_id, express_file_3$tot_counts)
subset4 <- data.frame(express_file_4$target_id, express_file_4$tot_counts)
subset5 <- data.frame(express_file_5$target_id, express_file_5$tot_counts)

sorted1 <- subset1[order(express_file_1$target_id),]
sorted2 <- subset2[order(express_file_2$target_id),]
sorted3 <- subset3[order(express_file_3$target_id),]
sorted4 <- subset4[order(express_file_4$target_id),]
sorted5 <- subset5[order(express_file_5$target_id),]

write.table(sorted1, "T97.txt", sep = "\t", row.names = FALSE, col.names = FALSE, quote = FALSE)
write.table(sorted2, "T126.txt", sep = "\t", row.names = FALSE, col.names = FALSE, quote = FALSE)
write.table(sorted3, "T177.txt", sep = "\t", row.names = FALSE, col.names = FALSE, quote = FALSE)
write.table(sorted4, "T202.txt", sep = "\t", row.names = FALSE, col.names = FALSE, quote = FALSE)
write.table(sorted5, "T306.txt", sep = "\t", row.names = FALSE, col.names = FALSE, quote = FALSE)

sampleFiles<- c("T97.txt","T126.txt","T177.txt","T202.txt","T306.txt" )
sampleNames <- c("T97_RNAseq","T126_RNAseq","T177_RNAseq","T202_RNAseq","T306_RNAseq")
sampleCondition <- c("T97","T126","T177","T202","T306")
sampleTable <- data.frame(sampleName = sampleNames, fileName = sampleFiles, c

```

```

ondition = sampleCondition)

treatments= c("T97","T126","T177","T202","T306")

suppressMessages(library("DESeq2"))
ddsHTSeq <- DESeqDataSetFromHTSeqCount(sampleTable = sampleTable,
                                         directory = directory,
                                         design = ~ condition)
colData(ddsHTSeq)$condition <- factor(colData(ddsHTSeq)$condition,
                                         levels = treatments)
dds <- DESeq(ddsHTSeq)

vsd <- varianceStabilizingTransformation(dds, blind=T)
rld <- rlog(dds, blind=T)

#PCA Plot
suppressMessages(library("genefilter"))
suppressMessages(library("ggplot2"))
suppressMessages(library("grDevices"))

rv <- rowVars(assay(rld))
select <- order(rv, decreasing=T)[seq_len(min(500,length(rv)))]
pc <- prcomp(t(assay(vsd)[select,]))

condition <- treatments
scores <- data.frame(pc$x, condition)
(pcaplot <- ggplot(scores, aes(x = PC1, y = PC2, col = (factor(condition))))
 + geom_point(size = 5)
 + ggtitle("Principal Components")
 + scale_colour_brewer(name = " ", palette = "Set1")
 + theme(
   plot.title = element_text(face = 'bold'),
   legend.position = c(.9,.2),
   legend.key = element_rect(fill = 'NA'),
   legend.text = element_text(size = 10, face = "bold"),
   axis.text.y = element_text(colour = "Black"),
   axis.text.x = element_text(colour = "Black"),
   axis.title.x = element_text(face = "bold"),
   axis.title.y = element_text(face = 'bold'),
   panel.grid.major.x = element_blank(),
   panel.grid.major.y = element_blank(),
   panel.grid.minor.x = element_blank(),
   panel.grid.minor.y = element_blank(),
   panel.background = element_rect(color = 'black',fill = NA)
))
# Heat map of sample-sample distance

```


```

sampleDists <- dist(t(assay(rld)))
suppressMessages(library("RColorBrewer"))
sampleDistMatrix <- as.matrix(sampleDists)
rownames(sampleDistMatrix) <- paste(rld$condition, rld$type, sep="-")
colnames(sampleDistMatrix) <- NULL
colors <- colorRampPalette( rev(brewer.pal(8, "Blues")) )(255)
heatmap(sampleDistMatrix,
        clustering_distance_rows=sampleDists,
        clustering_distance_cols=sampleDists,
        col=colors)


```

Based on Sample-sample distance matrix and PCA plot it appears that the treatment in sample T202 is not very effective. Sample-sample distance matrix T202 failed to group with other treatment samples and in PCA plot it is closer to T177 in PC1 of variation. PCA plot also shows that the reproducibility between samples was low and may be accounted to uneven treatmenty. Based on which T202 was not considered further in differential expression ananlysis.

## FIGURE1



## FIGURE2



## STEP4

```
express $WORK_DIR/Trinity_result/Trinity/cluster_results/vsearch_mergeder_cluster.fasta XXXX_sorted.bam -o XXXX_express
```

## STEP5

```
express_file_1 <- data.frame(read.table("T177_results.xprs",sep="\t", header = TRUE))
express_file_2 <- data.frame(read.table("T97_results.xprs",sep="\t", header = TRUE))
express_file_3 <- data.frame(read.table("T126_results.xprs",sep="\t", header = TRUE))
express_file_4 <- data.frame(read.table("T306_results.xprs",sep="\t", header = TRUE))

subset1 <- data.frame(express_file_1$target_id, express_file_1$target_id, express_file_1$tot_counts, express_file_1$length, express_file_1$fpkm)

subset1 <- rename(subset1,c("express_file_1.target_id"="GeneSymbol","express_file_1.target_id.1"="GeneName","express_file_1.tot_counts"="Read Count","express_file_1.length" = "Gene exonlength","express_file_1.fpkm"="RPKM"))

sorted1 <- subset1[order(express_file_1$target_id),]
sorted2 <- subset2[order(express_file_2$target_id),]
```

```

sorted3 <- subset3[order(express_file_3$target_id),]
sorted4 <- subset4[order(express_file_4$target_id),]

write.table(sorted1, "T177.cnt", sep = "\t", row.names = FALSE, col.names = FALSE, quote = FALSE)
write.table(sorted2, "T97.cnt", sep = "\t", row.names = FALSE, col.names = FALSE, quote = FALSE)
write.table(sorted3, "T126.cnt", sep = "\t", row.names = FALSE, col.names = FALSE, quote = FALSE)
write.table(sorted4, "T306.cnt", sep = "\t", row.names = FALSE, col.names = FALSE, quote = FALSE)

```

## STEP6

```
gfold diff -s1 T97,T126,T306 -s2 T177 -suf .read_cnt -o $WORK_DIR/Trinity_result/gfold/DEseqNormalisation/T97_126_306_VS_T177_DEseqNorm.diff
```

```
gfold diff -s1 T97,T126,T306 -s2 T177 -suf .read_cnt -norm count -o $WORK_DIR/Trinity_result/gfold/countNormalisation/T97_126_306_VS_T177_countNorm.diff
```

## Sample output

```

# This file is generated by gfold V1.1.4 on Thu Mar 16 18:10:02 2017
# Normalization constants :
#      T97      484518  1.22474
#      T126      403897   1
#      T306      438018  1.10668
#      T177      412156  1.02988
# The GFOLD value could be considered as a reliable log2 fold change.
# It is positive/negative if the gene is up/down regulated.
# A gene with zero GFOLD value should never be considered as
# differentially expressed. For a comprehensive description of
# GFOLD, please refer to the manual.
#GeneSymbol          GeneName          GFOLD(0.01)    E-FDR
log2fdc 1stRPKM 2ndRPKM
T126_TRINITY_DN100084_c0_g1_i1  T126_TRINITY_DN100084_c0_g1_i1  0   1   -0.44
1601    7.53901 0
T126_TRINITY_DN100158_c0_g1_i1  T126_TRINITY_DN100158_c0_g1_i1  0   1   0.344
063     4.0825  4.37953
T126_TRINITY_DN100177_c0_g1_i1  T126_TRINITY_DN100177_c0_g1_i1  0   1   -0.03
91536   4.63939 0
T126_TRINITY_DN100177_c1_g1_i1  T126_TRINITY_DN100177_c1_g1_i1  0   1   0.004
15352   3.49838 0
T126_TRINITY_DN100232_c0_g1_i1  T126_TRINITY_DN100232_c0_g1_i1  0   1   0.165
359     6.25644 5.03373
T126_TRINITY_DN100238_c0_g1_i1  T126_TRINITY_DN100238_c0_g1_i1  0   1   -0.44
4182    7.31943 0
T126_TRINITY_DN100263_c0_g1_i1  T126_TRINITY_DN100263_c0_g1_i1  0   1   0.312
583     6.21347 6.66555

```

T126_TRINITY_DN100331_c0_g1_i1	T126_TRINITY_DN100331_c0_g1_i1	0	1	0.519
429	2.3197	7.46542		

The first output file contains 7 columns:

**GeneSymbol:**

Gene symbols. The order of gene symbol is the same as what appearing in the read count file.

**GeneName:**

Gene name. The order of gene name is the same as what appearing in the read count file.

**GFOLD(value):**

GFOLD value for every gene. The GFOLD value could be considered as a reliable log2 fold change. It is positive/negative if the gene is up/down regulated. The main usefulness of GFOLD is to provide a biological meaningful ranking of the genes. The GFOLD value is zero if the gene doesn't show differential expression. If the log2 fold change is treated as a random variable, a positive GFOLD value  $x$  means that the probability of the log2 fold change (2nd/1st) being larger than  $x$  is (1 - the parameter specified by -sc); A negative GFOLD value  $x$  means that the probability of the log2 fold change (2st/1nd) being smaller than  $x$  is (1 - the parameter specified by -sc). If this file is sorted by this column in descending order then genes ranked at the top are differentially up-regulated and genes ranked at the bottom are differentially down-regulated. Note that a gene with GFOLD value 0 should never be considered differentially expressed. However, it doesn't mean that all genes with non-negative GFOLD value are differentially expressed. For taking top differentially expressed genes, the user is responsible for selecting the cutoff. Value in the bracket indicates the significant cutoff for fold change. Default 0.01.

**E-FDR:**

Empirical FDR based on replicates. It is always 1 when no replicates are available.

**log2fdc:**

log2 fold change. If no replicate is available, and -acc is T, log2 fold change is based on read counts and normalization constants. Otherwise, log2 fold change is based on the sampled expression level from the posterior distribution.

**1stRPKM:**

The RPKM for the first condition. It is available only if gene length is available. If multiple replicates are available, the RPKM is calculated simply by summing over replicates.

Because RPKM is actually using sequencing depth as the normalization constant, log2 fold change based on RPKM could be different from the log2fdc field.

**2ndRPKM:**

The RPKM for the second condition. It is available only if gene length is available. Please refer to 1stRPKM for more information.

**STEP7** The Transcripts which had GFOLD value of >1 or <-1 (2 fold change in expression) were identified. The list of such transcripts are below. The transcripts were blasted to RefSeq data base and link to the top hit is provided in the table below.

#GeneSymbol	GeneName	GFOLD(0.01)	E-FDR	log2fdc	1stRPKM	2ndRPKM	BLAST	mat
ch								
T306_TRINITY_DN182495_c5_g2_i1	T306_TRINITY_DN182495_c5_g2_i1	1.164	0	2	.59571	0.941592	5.30302	<a href="https://www.ncbi.nlm.nih.gov/protein/gi%7C1102616471">https://www.ncbi.nlm.nih.gov/protein/gi%7C1102616471</a>
T202_TRINITY_DN201895_c12_g2_i6	T202_TRINITY_DN201895_c12_g2_i6	1.11337	0	2	.69724	0.840202	6.18057	<a href="https://www.ncbi.nlm.nih.gov/protein/gi%7C1069367718">https://www.ncbi.nlm.nih.gov/protein/gi%7C1069367718</a>
T177_TRINITY_DN214142_c4_g1_i3	T177_TRINITY_DN214142_c4_g1_i3	1.03659	0	2	.71875	3.85956	49.6845	
T306_TRINITY_DN185419_c0_g4_i2	T306_TRINITY_DN185419_c0_g4_i2	1.02746	0	2	.58503	1.18818	8.03017	<a href="https://www.ncbi.nlm.nih.gov/protein/gi%7C1072289864">https://www.ncbi.nlm.nih.gov/protein/gi%7C1072289864</a>
T306_TRINITY_DN181469_c0_g1_i1	T306_TRINITY_DN181469_c0_g1_i1	1.02281	0	2	.57231	1.4096	11.3412	<a href="https://www.ncbi.nlm.nih.gov/protein/gi%7C946605930">https://www.ncbi.nlm.nih.gov/protein/gi%7C946605930</a>

Transcript sequences:

```
>T306_TRINITY_DN182495_c5_g2_i1
CCCACTAGAACGATCTCTAGAATGGGAACCGCGACAAGTGAATCACGATGGACTAAG
CGACCAAGAGTTAACGTGACAGGGTTGTCGCGTAATCCCGCTAAATTCAAAGTTGA
ATATGTCCGTACGGAGCACTTAGCACCGGACGAAGGATCGTGGACGGTGGCGTAGGGT
ACACAGGGTCAGCTGTATAAACTCAGTACTGAAGCAGGATTGGGAGCATTGCAGTCA
CACTCAAGTGGAGTACTCCGCCTTAATACCGTATGGGCAATACTCCGAGGGAGGGCGG
GTTTCAAACGAAACTTGAGTAATACTTTATGGTCTCAATATACTTGTTGGATGTAG
GGAAACCAAGCCATGGCGGACCCAAGGCACCTGACACATCGGGCAAGAGAAAAAA
TCCTTCGGGTGATCTGGGTCCATTCAAAACTATGAATTGCGATTGTGCTTACCTCG
TGGTGGTTGGCTTTAACACTAAACACACTACAATGTCTGGTCAAAATCTCGCGA
ACCTGGCAGCGGAGGAATCCGGCATGTCATGTTAGGGGAAATGAAACCATCATAATACA
TAGTAGGGGAAGAGGGGGAGGACCTAGACCGTCTCCGCGGAAGGGGAAGAGGAAGAGG
TCGAGGCCATCAGGGACCAGAAAGGTGAATCCGGACTTATCTCAAACACTTCATTGTT
TGGAGAGGCTGAGACTTCGCTGGAAAAGTCTCACAAATTGGCACTGAACCCATAAGAGC
TATAGGGCATTCACTGGGGGGAGTTAGCTCTCCCGCAGCTGCTGCTGCATCTGCAAC
ATCTCTAGTACCAAGGAATGGAGCCAGTAACAAAGTGTGAAAGGATTGGAAATAGGAGC
CAAAGTTGTAGGTGGCGGGTAATTACCGCACCTGCTGCTGCTACACAAGCCGGGTGGA
AGGCTTGAATAGAGCGATTGGATCGGCTTTCGGCAACAAAAACTCATTATCAATTGT
AATCTGCTTGTGGCTTTAGTAATGTTGCTGGAGGAATGACAGAAAAAATTATGCT
CAGTCATGCTATACTAATGATGAAGTTGAGCAATAACTAATTGCTGTAATGGAGATGA
GATCTATGGATGCATAACTGGAAATGTCTTACAGCAATCGGGTGTGTTATCTGTGAGCA
AGCTGACAATCAAGGAATCTGGGGAAATGGAGGCATTAGGTCTTCAACCAGACCTGG
GACCTTGGCAATAACTCACACTGTCCAGCAATGGCGGGAGTTATTGTTGGGTGGAAT
GCTTGGCAGACCTTGGGGTGGGGTGAAGCGTGTTCAGCTGCCTTGTGTTAGGCGACAT
AGCATCTTACACTTTAACACATCAAATATAATGACATTGGACTGTGAGTTGA
TGTGTCTGATGGCGCTCAACTTTCTGTATTTGGAATTGGCAGGGCTTCAAACC
ATTGAAATTATTAACCTATAGCAAAAATACCATCCGCTATAATATCATTCTTCTAC
GGGTGATATGCTTGTATTGTTCTCATTTACAATCTATTGTTGGAGAGTGATGAA
GGCTCTTTGTTAATTGTTAATTGGAGCCGTTATGGGAAGCATTGTCCTTGAATT
GCCTTATGGACTTAATTGTTACAATGTGAAATAAGAATCCAGGACGTTATTCCCATA
ATACAATTCTTGACACTTGCACTTTGAGAGTACGGCCGGCGTTGTAACATCACGAG
AGATAAAAATGTGCAACCGAAGTTGGTACATGGTATAACTACACCGGAACCATTTACAC
AGGAAGCACATTATTTGACGATAAACCTTGTGAAAGCTAGGGGAAATGCCGAAA
```



ACTACAAAGGAGAGGGAGGTGTGGTAGAGGAAGGAAAGGAAAATACTTCTACTGCATAAA  
AAGAGCAGTACCAAGAGGAAATGTACCTGACTGTAGCGTTCTAGGTGCATATGAGGATGG  
AATTCTATGGTACAACATCACTCCAGAGAAAATGACCACACTTTACAAAACACTCAA  
TACAGTGGACTCCAACAGTAACCTGTGATTAGAGTTCATGAAAGGTTAATAGATT  
TTACAAAAAGTTAGGAAAGCTCAGAAACTTTAAGAGGCCAACAAATGGGATTCTCAC  
CCCATTAAGTACCGGGAGCACAAGCAGTTGTTCAGTCAGAGAAAATGCCAACACTACCAGG  
AACTACAGGAAGATGGGAAGGTTCAAGCAAGGCCAACAAAGTGTCCATTACTTGAC  
TTAGACGTGAAACAATTGACATCCACTACAACAATTGGAGACCAAAGAATTAGAGAA  
AAGACTAGGATATGACAGAAGCGAGGAGGTTCTGGACCCTAGCTCGGGCTGCAGGGGT  
AACAGTAGGCCTTAATATTAAACATCACTGGCAGTCTAGTACCTACAGATGGTCTAAC  
AGTTCTTGTGGGCTCAAATGGCAGAAAAGCTTACAATTTCCTCAATGAGGATT  
CCAATTGAAGAGGAAGTAAGCTGGACTTGAACGTAGATTGGGTGCAATAGTACACAA  
GGCAGGTACCGCTTATGAAGGCCTAGGAAGCAGGCTTAAGAGCAGCAAGATATGTAGG  
AGAATTGGGAGTGGAACAAAGAACATCTAGTTTTGAGCTCAGCAAAACTGGCCCCTCT  
TGGGCTAACAGCATGCACATTCTGTCAAGCACCACAAATCCAGCCTTATCAACAATGAC  
AGCCGCTGCAGCAGCTTAATATCACCACCTGGATTGGGCAACCGCAGTTGTAGCTT  
GTTTGGAGCACCATAATTAGCTGCTTACATCTTCAAAAACCTGGCACCGGCATCGCTAT  
CGGAGCTTGGCTGGTCAGCAGCATCAGAATTGGGTGCTGAGATGCTCCTTCAAT  
AATTACTGGCTATGGTCAGCATCAACTGTGACATGTTACATCTTCAATTGATCTCATGATCGG  
AAAGGCTCCATCAGGCCAAGATCTGGCTAGTGTATTGGACTATCAAATTAGGAGC  
AGCCATAGCAGGTATCACTGTGGTCTTGCTTGCAAAATGACTAACCTAGTCAG  
CAATTGGACTAACAGATTATTAGCAATGATGGTAAAGGCAACGTGTTGCCAGACTTTA  
TTTTTGGATGCAAAAAAGCAGAGGAGCAAATTCTAGCTCTGCTTAACGCCATGACACC  
AGTATCACTTCAATAGATTAGGGACATGGATGAGGCAAGCTGAAGAAATAGATGTAAG  
CCTAGGCATGGAACACTCCCGGAAGTTTTAAGGGAGCGTGGAGTACGGCTCAGAATT  
CGTAAGAACAAAGACCTGGAAAAAAATTGGAGATTCTAATTGTTGGATTTTAT  
AAAAAATTAGCAGCAAAATATCTTCAAGTTTTCTTAAATTACACTCCTCAATTG  
TACAACGAGGTTGTATCAAATGGTAGGGACCGGAAGCGCTGAGTGGACTTGCAATTG  
TGGAGCACACATACAAGTAACAATAGCAGATGGGAAGGAACAAACTAGGTCAAGTAGTAA  
AAGGTTATGCTTACTGCGGCAGGTGGCACTGTATTCAATTGACTACCAAGTTTAGG  
GGTGGACCATGTTACAGAATCAATAATGGGACATCTACACGTAGGTATGCCACTGC  
TGAAGATTCTACATTGATCTAATGTTACTGAATCAGGTGTAGTGATAGTGGGTCA  
CATCTGTACCTAACAGTAGTTGGTACTTGAAGCGTTCAAGACAACCGCTTCTGA  
AAATGGAGTCCAATAGCAAAGTGGAGGAAAATCCTGGTAGGGAGATAACTGGCGC  
TATTTGGACTACAGTGGACAGCAATCACCTACCTCATAAAATCAAAGCTGAACAAAC  
TAAAACGTACCCAAACGCAGATCCAGGGTCAGATTGGTTAAAGTGCCCTGGAAAGAAAT  
AGGGCTGTGAAAGTAAATACCCACAGAAACTTGAGGAAGTAAATCGACCTGGGA  
AGAAATGGCCCCAAAAGGAAGGAGATGGAAAAAAATTCAACGTAGAGGACTTACCCAC  
TCAAGGAACGGTGGAGAAATCAGAGGAACAACTGAAATTAGTTATGATGAGGCCCTTTA  
TGTGTTGGAAATGAGTCAGAATTGACAGAGTTGCAAAGTGGATGAATGTGCTGATTG  
GAGATGGGAAGCAAACGTACCATATTATCAATTGAGCTAATTAGGAATTCAAATATT  
TGTGCTCACAACTCCAGAACCTTGAATTGAGTTAATTAAAGGGAAAGCTACAGGTGA  
AGCGAAGCTTATGACCGAGGTTCTACAGTGTACAGAATGATGAGGCCAAAGGACA  
GCTTCTGGCAGCAGAAGAAGCTGATGAACCTAACAGAAAGAGCAAAATTGATCACCATT  
TGTACGAAAGACCCAAATAGGAGGAGCAGTCTGAAGGGGAAGGACCTTGTCTAAG  
ACCTGATGAGTTGCAGGACTGTGTGATGGCTAAAACCTACCAAGAACACCGGAAGAAA  
GATGTCTGTAGACTGGTACATACATGGGACATCATGAATTGGCATTACTGACCCAG  
AAATCCAATCATCCCTGTAAGAATGAGACCGCGTGGCTCAGAGGAGATAGAGCGAATGT  
CGCTTCAAGAAGGAGTCGGACTTGGAGAAAGGTTGAAGAAGGTTACCATCCAGAGACC  
TGAGAAATTGCCAGAATTGAGTTAGGGCTTATGAAAAAGCAGCAACTCAAGTATCAA

GATGAATTACCAGAGTTACTTATGAAGAAGCAGTGACATTGCTACACAATAAAACAGC  
TAAAAGTAGGAAGGGTTATGGAGCAAAAGAAGCAAAAGAGGGGAAAGCTAAAGAGCATGT  
GATGGAATTAGAAGCAAATTACTCTCCAGAACCATACAGGGAGATTCTCTGTAC  
CATAAATGCCAAGCATGAGCTCAGTTAAATACTGGAAAACCACCAAGAGCAATATGCTA  
CCCTGATTAGGAGTTAGAATACTTGAGAAAATGATTGGAAATGCAGTTAAACAAGT  
ACCAAGGGCAATACTTGAGAATCCTACGGGTCGTGCCACCAAGAGTTAAAGCTAAAAG  
GTTGATTAATGGTACCAACAAAAAGAAAACCTTTGTATTGTCTTAGATGTATCAA  
AATGGACTCCAATGTAACACCAACTGATATGCAGTTGAAGCAGAAATCTTCAAGGCC  
AAGCAGTCCTGGCAACAGAACTGCTATAACTACTGCATGACAAGGTTACAAAAGTGG  
AGACTTGATTACAGAGGAAGAAAAGTAGGAACGAGGAATTGTAGAGCCTCAGGAGTACT  
TACAACATCAGCTGGAAATACAATATCCCATTACATCAAATTGGAACATGTTAAAAGA  
ATTAGGAGTAAAAGCAGATAAAATAATTAGGGTGATGATGTAACAATGGTTATGGAGAA  
GCCTGATAATCCAACAGAATTGGATAAACTAATAGGTTGTTAAATGCTACAGGGTT  
AACCCAACAAGTACCAATGATAGGAAGTAGTTAGAAGATGTAGGGACCTCAATGATA  
CAAAAGTCTGGTAGATGATAAGCTAAATACTACATAGGGAGAGGCCCTATAAGCC  
TTTAGCCACGGCATGGCTGAAACGACTGAGGGTAATCGGAATGTTAGATGGCTTGGATT  
GCTTATAGAGCATTATCCAGAACCTGGGCTCAAGAGTTCTAGCTATATCATTACTAA  
TTCATTGTTAGAGTTAATAAGGAAACCATATCCTTAAGTATTAGGAAATATTATGA  
AATTAGTTAGAAAATTGCTTATTGTTAACTGTTGATGGTACTGGATTGGAA  
GTTTGAGAACCATCCCAGACAGGTGAACATCACAGCCCAAGCTCTGAAAGATCTAGGATT  
GCCACCTTAAAGGGGTGGTATAGAAGAGCTTAAGGTTGAGAGTTGCCTGTTGAGGAA  
AGGGGGGATATACAGGTACTTAGTAAGTACTTGTGCATTCACTACTAAAATGTGGA  
ATATCCAAGTCCGTTCCGTTAAAGATAAGCAAAATGCCTAGAATTGTTATAAATC  
TGTGCCATATTCAAATGTTACATATTAGAAATAGTTAAAGTCTAAGAATTGTTTC  
TGAAATGTTATTGGGTGCCATTGTTCTTCTGCTTACATTTTAAACTGTGTA  
AAGAAAATAATATCAATAATGTTTGGAAAGGTGCCGACCAACGGTTGAGTGTGCGAC  
CACTCGAAAAAGAGCTTATTCTCTAAGTTAGAGACTTCAGCGTGGCAACGCTGTCG  
ATTAAAGCCTACGTGTACACGTAGAAAAATATAAAATTGTTACACCACGG  
TAAGGGAC

>T306\_TRINITY\_DN185419\_c0\_g4\_i2

TGACTACTATAGTGACAGAAACATCAAGGAAAAAGCCCATGCAGTTCTGTTAAATTGGC  
TAGTAAAAAGGTTGGTCCAATTAGCTGTAACCTCTAAGGAAAATTCTGGCAATGAC  
CATGGACAGCTCAATAAAACATCTGCTCATGGCAACCACAGTCCAAAAGCTAACAAA  
TATCAAGAAGTATAAAAAGTAGGATAGAAATACTACAAAGAATGTTTAATATCTTATG  
TAAACTGATGACATGCCGTATCTAAATACTGTTCACTCTGATCAAGCTATCTCATAA  
AAGATATAGCAGAAATGGCTGATTTCAGATATAGATGACAAAAAATGGTGGGGCAGGG  
AAAGACTCCATATGAATAGAGATTGAAAGGACTGGGAAAGATAACTTAGAGAAGAGAT  
GAATAAGAGAGGACAGTTAGAAGTGTGAAAATAATGAATGGTATAGGGAAAGGTAGATC  
ACACTCTTCAGTTCACCTTCTCCTCTGCAAAAACAAGGGGACAATCAATTAAAACAA  
CAGGCAATACATTAAAAGTAAAGCCAATCCTTAACTGTTGAGTTAGGAAGAAAAT  
TGCTCTAATGGCAGGTATTCCATAATTGCTTACTACTGGGATTATTGCTATTTCTTG  
AAGCATGTGCTACTGGCATTGTCAGACACTAGACTAGACTGGTTGATAAGGGATAACA  
ATTCTATTCTCATGTGTAAAGTAAGTTACTTTAAGGAAAATAATGAGAGAT  
ACTGTGTATGGTTTGTGCTAAAACACTTAAATTATTGAACGGGACACAAAATCT  
AATCTGGCCTGTTAAAACATTGGCAAGATTCTGTCTCATCAAAGTAAGTGGCACTAT  
GACAGTTACTTCAGCAGAGGACTGGTCCACTGCACAAACTCTGTAATGTATGTCA  
TATACCTTGTGCTGATCAGTAATAGCTCCCCACCTCCCCATCCTTATAAACACATTCT  
GAAACAAATGATCCAAATAGTAGAGTAGCACTATTGTAAGATGTAACATTGTTACCATGA  
CCCTAGAATGAGGTAGCACATTAAATAATAGGAAATCAAAGCTCCCCACTCCTTTCC  
TCATTGCAAGTAACATTGACACACCACCGAGTCATCCCTTATTAAATAATGAT

TACAGAATTGTACAGTAATAGTCTAACGCCTGCACTAGTAGGCTGAAATATTTAT  
ATCATTTCTGTAGTATTaaaaaaaaGGATTACATCAAAACTGTTCCAAGGCAATGTA  
CTATGATGTCACAGAGGATTATCCTGCTTCCCTTCAATTATGATCGAAGAAGAAAGT  
TTAGTTATCACCATGTTAAGGCCAATAACAAAGAGCCAGAGTCACACTCTCCAAAGT  
TTGATGGTATTGTCTGGAGTCTTGACCCATCTCTAGTTAAAAGGGAGGAAAC  
TGATCTAGCCCATAACAAGCCCAGAGCAATGCTCAGTCTGAAATAGCBBBBBGGGGAAAA  
TGTAGAAAGATAATTaaaaaaaCCCAACTTGGCAATAACATTCTCCCTGCGACCAGCACAG  
TCATATATAATGATTTGCTAGAAACTTGGCAATAACATTCTCCCTGCGACCAGCACAG  
ATGATGGCAACACAGCTCTGAGGATAGCATTGTTAAGTGAUTGTTATTGCAAGGCCAGT  
AAGGGGAGCACATTGATGAAAGATTGTTAAAGTGCACACAAACATAGGCTGTTG  
TGTGTGTATTACAGTTCTTAGTTGGAGTAATGACAATAAGGAAAGGTCAAGATTCTGG  
CTGGCAGTGCACATAATGCCATCAATAATCCATGAGCACAGCATTAGATGGTAATG  
ACATGTAGCTGCTAATGACCTAGGCTGGCTTGAATTGGTGAGATGGTATGGAAGTGT  
CATTATCAATCCCCGAGACACCATGCCAAGAACTATGACTGTCACGTCAAGACATAAT  
GACAGCGTCCCAGGAGAGCCAAACAGGCACCTTACGTGTTGACATGACTGCAAATGCC  
CAAAGCTTCCAGCGCCATCTTAGTTCAATGGTTGCTTAAATCTCACAGGACAAAATCT  
GTCCTACAGATAAAATAGAAGGGGGAGGAAACATTCTTAGAGGGCACTTGC  
CTACCTAATGAGGTCCAAAATATGACCTACTTAAAGAAGAAAACCTCTACTGTCCTCCGATAA  
AAAAATCACAAGAATGAGCTGCATTTGATGCAACAAACTAAGCAATGTTGAGGCTCAT  
GTTGACTTCGCTGCAGTAGAAAGACAATAAAATGCAATGCCGCTGGAGGACAAGGTTG  
AGATGGAATGGAACATTTCCCCATGTTAAACAGCATTACATATAGCTCAGAG  
AGCAGATAAATCATTATGAGGCTATTAACTGACTTGAATGAGTTCAATATTGAGTT  
TCAGCAACCTCAAAATCCAGGCTCCAGATCTCTAGGTTGGTCAAGCCCTTATGGA  
AGATGGGCCATTGTGAAGGTTAGCTATTAAACACCATAATTGGAGGTGCTAAGATT  
TAGATTGGGCCTATTGACTACAGAGGTGAACATGCCCTTAAACTAGTTGTGAA  
TACAGTTTTAAAAAATACAGTAAGGTTTATTAAAGGAAAGAAAAGAGATGAGACG  
AGATAGACTATGAAAGATGCTTCTCAAAAAGCTTAAATGAAACTGGCGTCTGGAAATT  
CTTCACTCACTGTTGCCTTCCATAAGAATGTTAGGAGCAAGGACTCCTCTGCTATATT  
CCTGGGGAGCTGTGAGAGGGAGGGTATTGATGTAACATTCTGTTCCCTGTT  
TGAATAGATTCTCTTCACTAGCTGAGTGGCAAAGGCTGCATCAGCAGTGGCAAAG  
GGCATCAAATCCAGTCTGAACCTACAATACCTGCAACTGTCAGTGTGTCACAGAATG  
TGTCAAGCACAGTTCAAGGCTGAGGAAAGCGTGTCTCTGCCTAGGTGACACTCATCC  
ACTCTGTATCTTAGACAATTAAAGGCAACTCCAATCTTAAATTCTCATGACCACAGACCA  
CACAGCAATTCCCTCAACGACTGTAACTAGCAGCTTAGAAATATTAAATGGCAGAGGCA  
TAACTTGGATCCTTCCGATGGACAAACTCCCTAGTGTGTCACTCCCCAGGATTGAC  
AGTAAAATGAGGTTAACTAACACTAAGTCTTAGTGCAGACCAAGAAAGACTCTCTGG  
ACAGTCTGCTCACTCACTCAGGACATGTGACCGTGATCAGTGGAACTGGAGTCAGAGGG  
CCCATGTACCTGGAGGGACAATCATTGGGGTCAACAGAAAACAGGGAAATGTGAGGGG  
GTTGGGCTGGAAGCAACATGCCACATAAAAGAGAACAGTGACAGGGTTAATAAGATC  
CACTTGCTCACTTAACCTGCATTCACTGCTTCTGCTATTGAAACACATGGAAAG  
GAGAAGAACCTGAAGTGGATTGTCAGTCTCTCATTAGGAATGTGAAGAAAAG  
CTGAACAAACCCCTATCCTCATCCTCTGAAAGAGATGGAGTACAGCTCCTGGGTCTTG  
GTGAAGTGGCTGTGTTGTCAGTGCAGGGACTGGACTGAATGAAGTCTGAAAGGAT  
GTCAATAGCTGAGAAAGCTGTAATCAGCAGAGTATGAAATATGGTTATATTGAGTTA  
TAAGCCCTGGGTGAGGAAATTCAAGCTGAAACAATGGCTTCTGTTCAAAATAACAAAC  
AATGGTGGATATTCAATGCATAAGCGAGTAATATAACATTTGCACCTCTACCCA  
AGGGTCTGAAAGCATATTACATATGTTAATGAGTTATTGGCCTGATTTCAAGGTGCTA  
AATACTTCCAGCTCCCATCAACTACTTAAATCCAAGCATAACCCATTAGGCCCTC  
CTGCCATGGTATAAGTTAATTATCCCCATTACAGACAGACAAACTGAGGCATG

ACAAAATTACATGACTTGCCAAAGATCAGACAGCTATTCACTCAGCAGCAGAGTTGGGAACAGA  
ACTCAGCTCCCCGCCACCAAACCCGTACTTAAACCACCACTGCAGATTATGCTC  
TCATAGATTGCCAGCTCTCTTACTTAAGTGCACACATTCCATGGTCTTAGGGCA  
CCAGCTGGCAGCTTCAATCATTCTTTAGTTATCCCTGGGTTAACACTATGGCG  
AGATTCTGCTCTCTGCTTATGTAAGTAGTGTCTTACTACATAATGTACTTCTGATG  
TCAGTCGTGCTACTTGTGTGTAACAGGTCTCAGTGAGAGTAAAGGTTTCACATTCTG  
GCTCTAATTGAAGGTACCAGTCTAATAATGATGCTGCTGACTGAGAGTGCCTGTTATG  
GTAATCATGACAGTGAGGTATTTGGGGCTGATGTTGCTGCTGGGAGAGTCCCCTGGG  
CCAGAAAGACCTCCTGCTGAAGGCATTAGCTCCCTCCCAACAAAATTGAGTT  
TATATCATATAAACAGACTGGGTTGGTGCCTGCCCTGAAAAGCCACTTAAGTGC  
CTGGGCTGGAGGTCTTACTGACCTGAGGCTGCCAGGGTTTATGGCTGCCTGC  
CAGTCCCAGCTCCTGCCCTCTGACCAAGAATGAGGAAACACAGCCAATCAGCAAGAGC  
TTTCATTTCTTGCAAGGCCTGACTGTTCAGCATGAGACCTGAAATGTCACCTGA  
ATCTCATCTGTGTGCACTGACCTGAGGCTGCCAGGGTTTATGGGTAGGA  
GGGAACAGTGTAGTGGATAACTAGAAGAGAATTCTTCCATCTCAGCTGTGACCTGG  
TTCACAATAGTAAATAATAGTACTTAGTACTTATCCAGTGATTTCATCCACAGATCTCA  
AAGCTCTGTACAAAGATGGGTTAGAATTACTATCCCACTTATATGGGAAACTGAG  
ACAGAGAGATTGGGAACTGGGAAAGCAATGAGATTCCATGGGAACTGGACCACAACA  
AAAATTGTATCCCTCTGGCTATGAAGAAAACCTCCAAGTAACCTAAAGCAGAGTTAC  
TTCCAAGCCTGCACACAGGCAGACAGAAACAATAGTCTGAGAGGCAGAACTTACCC  
TTAGTTCTATTGCTTGTAAATGCTGAAGTCAAAGATGACAATTAAATTACATATTG  
TTAATTATTCACTGCTGGTCAATTAGTACTGAGACACTGTGGTTGAACGGGGCAGA  
GCTTGTATAGAGTACATTACATTCCCTGCAATTATTGCGACCTGGCAGTAGCAGGGGA  
GTTAAGAACCATATCTAGCATAGGTTGCTGGCGCATAGGGTCATATCAGGAAACACAA  
AGGACATGGTGGGCATGAGGAGGTGCAAGTGTGAGAGAGAGAATGCCACAGATTAGT  
CCTGGATTGGGTGAAATAAAATAAGCCAAACTCAGCTTCCCTGCTCTAAACATTAA  
GACATTAAACTATGAACACTGGTCTGATGTTAGCAATGACATCTTGGAGAGGTTATCATG  
AACTAGGTTAGTGTGCTGCCCTTCTCATTGCTCAGCTTCCCTCCATTAGATCCCA  
AATTGGCTCTGCCGGATTAGAGGTTTGTGCAACAGTCTCAACAAACAGTTGAACAGA  
GTCTCATGGAATTGGAGATGGGAAAGACACGTTATTGTAATGCGGTAGCAACTTA  
GAGGCCCTGACTCACTGTGCTAACGATTGACAAATTATAACAAAAGGAGGTCCCTGCA  
CCGCAGGGCTTACATTCCGAGTCTACAATGAGAGACAACAGGTGCACACAACAGACGGAC  
AGGGGGATCACAAGCTAACAGTGCACAGCCTCTCCAATCTGGCTTCACTTCACTCC  
ACTGAAACTGTTTCACTGGAGTCTGACAACCTCTTGTCTAAATTTCAGGGTGA  
TATTCATCTCTCAGCCTATTGGCTGCCTAGATATAATTGTCATCCTGATCTT  
GAAATCTTGTCTCTTGGCTTACACAGTCTATTCCAGGGCC

>T202\_TRINITY\_DN201895\_c12\_g2\_i6

TTGTCCTAACTAGGCAGGATTTCAAAAGTACCTGAGTGATTAGAAGCATGAGTTCCA  
CTGAAAGTTATGTAGATGCTATTGAAAAAATCCCACTCAATGTTTTGAAAGCTttttt  
tttttAAGGTGCTCAGAAACCATGGGATAGGTTCACTGCAAGAGCCTAACACAGAGTAGA  
ACACGGTGAATATTGAGACTTGACAATTATGGGGGAAGGGGAATCTTGACATGTAG  
ACTAAGTAAATTGAATCTGAAAGAAAAAGATTAGGCATGGAATAGTACTGTCACTTTT  
TAATACTTGTAAATTCCAGTGAAGTGCACACACTTCAAACCAAGTAGCTTACTGT  
TCTTCCCTGCTACCCCTTTGTTAAGTGTACTCTGTATTAAATTAGTTGATGCTGCCTT  
TTTTCCGTGAAATTCAAACAGTAAACtttttttCCTCCAGGATTCTTGAT  
GTTCTGATGTGCTGGTAAAGGAAAAGAACAGCGTCTGTTACAGACTGACACTTCAAAC  
GCTCCTGCTAACTGATTTCAAACCTGAAATTATCATAGAAATTGACATGGGAGGAG  
CTGTGAGTGCCTGGGAAGACAATGATGATTAAATTGATAACTGAAAGAAGCTCAGTATA  
TTCGCACTGAGAGAGTGGAGCAAGCCTCAGAGCAATTGACCGTGGTATTATTCTAG  
AAGGATACAGGGACAATGCTTATAAAGACTTGGCTTGAAGCATGGAAATACACTTAT

CAGCACCTGCATTATTCTGAAGTCATGGAGGCATTGAAACTCAACCAGGATTATCTT  
TTCTGAATCTGGTAGCGAACCGGATATTGAGTACAATGGTGGGATTAATATTAGGTA  
ATTCTTTTATTAAACATATGAAATGTTGGTACTGAATACAGATTCTAGATT  
AACACGTCAGCATCTTGCCAGGGTTGTGATTAAATGTGTTAGTTAAGTAATG  
TAATGAAAAAAGCATAGAGTTAAGAATTGAAATGTGCTTCAGAAATTGTGAAAGAGC  
TGCTAGCTAATTCTAGAAAAGCTGTTATTGAAAAGCATTAAAGAATTGCATTAA  
TGAAAACAATATTTGCTGTTAACGCCAGCAGATTACCTCTGAGTCACCTG  
AAGCTGAAACCTTCGACACCAACCGTAATTCCCACACAAGCCAAATGTTGAGTCACAA  
AGAATATTATGATTTCAACAGGGAGTATGAAACAAATTATTCATAAATTTCTGCAGT  
TTTAAGTCACTAAGGACTCTTAAAGATTGCTCACATAGAAGGCAAGAAATGTATA  
TGCTTAGGACACAAAGTAAACTGCTCTCACAAAATAATCTAGATTAATAACAGCATT  
GTAATTTATGGCAGATATTCACTGCTTAAGACTGGGTTTTAAGCTAAGTTACCT  
GTGAGTTACTACTCATCCTCTAACTGTAATTAAAGCTGTGCTACCAGCTGAAA  
AGAAAATGTGGTATGCGTTGCTAACTGAATTAAATTTAAACTACCTAGAGAGCA  
GAAAATGTACATTAAATGCATTGTTCAAAATGAAAGCTAAGCTAGTGTGATT  
TTTATAAATATCCTCAGATGTTTCTACCTATTGTAATAATTTGATTACACAACAGAA  
TTTCATTATTTGGTAGTGGATGTAAGTGTGACAGCCACATTTCCTTCACTAAATA  
AATATTGATCTCTCAGTATTGTTCTAGTTAAGGAAACACTACTTTACTGCTACAA  
CAATCTTACAAATGTGTAACAAATTAAATCTGCAATTCACTCCAAGAGGTGAGGA  
TTCCCTCCAATTAAATGTAACAAAAGCTAAAGAGCTGATTCACTGCTCCCTTGTGGA  
AACTGAGATTGCTTCCCTACCAATACAATATAGTAAGCAGTAATGCTCTGGTGAAT  
ATTCAATTCAAGGTATAAAACTCAAATTCCAGTACATGCTGTTAAAGAATTAGCATT  
TCACTTGTCATATAATGTAACCTCTGTGCTAGCACTCTATTGAGCTTGGG  
GAGTTTATCTCTATGGAGATGATAATAGGCAATTGTTATGAGTTCTCCCCAGT  
AGCTGTTAAAGTATAAATACATATAATGATTAGAGACTACTTCTCTTTGTTGC  
TATTAGCCCTGTGCGCAGGACCATAAATTTCTGAGATCATCAAGAGTGAAGATGA  
TTAAATAAGCCCTCGTCTTGATATGTTGTTATTGGCTAGGGATCCTCTGCAC  
CTGCTTCTCTATGAGGTTGTTACCTATCTAACTAATCTGTGGGGTCAGGAGT  
GTATGATGTTGCTGCTGGCTGGCTGGCTGGCTGGCTGGCTGGGGTCAGGAGT  
ATGACCTGTGCTGGTTCCAGAAAGTGAATGAAGAGAACTAAGTAGTGAAGTGA  
TTCTCCCCACCTTTCACATGAGGGTGAGATCTGAGCAGAGGGCCTTAAGTGTG  
AATCAGCAGACACAACCTGCTGCAGTTCAACTCAGCATGGTAGACAGATTAG  
CAATATTGAAACAAATTTGAAAAGGAAGGTTATTGTTACTGGTTAATAAAGGC  
AGCCCCTTGTGAAATTAAACCTTACACCTCTAAATGGAGCTATTGTTGAAT  
TTGTTACTGTATTGGTAGTGTAGGAGTGTGTTACTGTTGCAATGGTTGGTATCT  
GATGGTTAGTATAGGGTGGAGTAGTGTGTTACTGTTGAAATGTTGTTGAATGTT  
AATGTGACACTAAATTGCGGGTGACTTGAAATGAGGAAATTAAACAAAG  
TGGTCTCTATAACTGCTACAGTAGTGTGAGGATTAAGTTAATATAACAGAAGGAA  
AATACACACGGAAAGCGTAGTTACATAATTGTTAATGATCAGTACAGACGAATC  
TTCTGTAATTGAGTATTACAAGATATTGAAACTGAAACACTTTCCAAGACTTA  
TGGTGGTAGATAATTGATAAGGTTAGTGTGAGGAAATGAATATTACTC  
CAGGAAGTAACACAAAGTTAGGGTAGTGTGAGTTCTGTGAATTGGTAAGACTG  
GAATAGCATATACAGTCATATCCTCAAATTGGAAAGCTAATGAGAATAGTGT  
TCTGTTGTTCAATATAACACATAGCAATACTGAAATGTATGTATTACACTCC  
TTTGGATAGTCATGTTGCTGCAGAAACTAATTGCTGCCATAGCACGTTGATCAT  
AAGTTCTAGTATTACACACATGTTCTCATTACCTGACAGACACAAATTCA  
TGTGTTGATATTCTCATGATTGCTTGAAGGTTAAAGTGGAAAAATTAAATCT  
GTGATGAAACAGATGGCGTAACTGTAATTGAAACAGCTAAGAGTGCAGCA

AAAATACTAGACACATGAAAATAATTAGGAGGTTAGGTTAGGGAAATGTGAATTCA  
TTAGTAAATTATTTGAAAACCTGCTGTGATTCCCAGGAAAGATTTCTAAAATATT  
CTGTTTCAAACACTGACACCTTATAAAAATGAACAATGCTTACTAGCTACTTCTA  
ATTACTAGTCAGAAACTTTTGTAGAATGATATTCTGATGAAGAATACCCCTTTCTA  
TGGGAAAATTCACTTGCAGAAGAATTTCATTTCCATTGGCAGCTGACATTCTGA  
TTTCCAATCTGGAAGGTGTTGCAATTCACTTCTGCTGGCCAAAGCGCTCTGCT  
AGAAGGGCTGAGCAGGAACCAGGGTTGGGAAGCGAGGGCTGGTGGAGTGCGCTGGCTCTC  
TGCCCTCCAGGCAATGGGCTGAAGGCAGTTCTTACAAGAAGATGAAAACAattt  
ttgtttttgtttCTAAAATGGAATTNTTGTGAAATGCCCTCACACACACAATTCT  
TTTGCACTTTGTCTGGTCAAGTGTAAATTGTTAAAATATTGAAAATTNTT  
CAGAAAGGGATTCACATTACAGCCAGCTTACTAGTAATGCAAGAGATAGAAAAGGG  
AAGCAATGAGCTAACGTTAATAAAGGATGTATGCGTACCAACAGGACACCTTCAATGCTG  
TGAAAGCAGGTATCTCCCTGTGGAGCACTGCTCTGTAAGTCTGCCAGCAGGAAAC  
CTTATGAGCAATGCATGTAACGACCTTCTCGGATCCACTTGTTCATGGTGTACAAGA  
CGTTCTAATTCTGCTAACGTTAACAGATGTTAGCATATTGTTGATGTTGACCAT  
TAGGTCACGCTTAGAATGGAATGTATTAGGTTTTCTCCATAAAAGACAGGCTTG  
CTGCAATCTGCTATTAAATTATCCAGGGTACTTAAACATCAGAAATACTCTATATT  
TTTTCTTAAATGCTACAATACCTCTGTCAGAAAAAAATTCTTACGAATTCCCT  
GGATGAATAATTNTTGTACTGAAATAATAATTGAGGATGCTTCTGTATTAAAGT  
GTTGGGCTAAATAATTCTAAAAGTAAAGGCTGGGGCATAGTGATTACTGAATTGATAGA  
ATGCAACCTCTACCTGCTGTTGTTGAAATGTGCTTTTCTTCTGCATGGATA  
CTAAAATCTGTTCTGTCCTGCCTATTACATATTGAATTCTATCTCTATGCCA  
CAACAAACATGGCCACCTCTTACCCCTGGCAACCCCCCTAACTCTAGTCTTAAATCT  
CCTGCACCTCCCTACTTTAGAAGAGTGGACTTAGCCCTTACACAAACTGAAATT  
ATTTCAAGCTGTTGTTAAAACATATGACTACTAAATGAGTTGAAAGGATAAGGAGTT  
GAGTTAGAAGTGAATGTGGTGACATGTCAGTGGATAATCTGAATAGAGACCTGCACA  
AACGCTGTACTGTTAGATCAATACTGTATAGCACTTAGTAGATTCTGTGGTCCAG  
TTGGCTGAAGGCTAACCTCATACGGATTCAAGGAAACTGCATAATTGAGAAATTGTAT  
AATTATGGGTATAGATATGCGCATACTATGCTGAATCTATGCCATCATCAGTTGAGAT  
GATTCCACTCAATATAATATGCTTAAATTACCAACTTTAACCTTCTACAAACAAA  
TACATTATAACCATCACACCTGCTGCTTTAAAATTGTCCTAACCTTACAAACATT  
AAAAGACTAAGAAAAGATCAGACTACTGCCTTAAACATTCTTACAGGCTAATA  
AGAAAAATGTATTGTCCTTCTTGCCTAGTGTGGCATGTTAGAACAGGAAATAGGG  
AGCCAGAACTCCTGGGGTGTACTCTGGCTTTCACTGGTCACTAAATAATCATGTG  
CTTAGTTACCTCTGTTAAAAGTATAAAAATCCCTTTGAGCTTGTGAGGG  
CTTAATCAAATGTTAATAAAAGCACTGTGATACCATTAGATGAAAGGTGTTACCA  
CATAAAACAGTACTTACTTATAAAAAACTTTTAAATTACAGGCCCTTGGAAATAA  
TCATGGAATAGAGCTTCATTCACTGCTGAGGTTAGAATATGCAAGGAAAAATGGAGAGCTT  
CATAAAAAAATAGTGACAGCTTGATAAGTAAGTATCTCACTTATCCAGTTACCTTGC  
CCAGAAATGTTGGATTTTTACTGAGGTTACAATATTAAGGAATAATGACATTG  
AAATTAAACATCTGTTAATGTTCAATTGGAAATCATATTGAAAGTTGTTGGACAT  
ATTAAAATGAGGTAAGTGGAAAGTTAAAATATAGTTT  
>T306\_TRINITY\_DN181469\_c0\_g1\_i1  
AGAGAACTAAGTTTCAGTCAGGGCTGTGCTGTAGTTATGGAAACAGTGTG  
GTTTGGGTAGAAGAGTGGAGGGCATGTATGTTGGGGCTAACATTCTTCCCG  
TTGGTGGGGTATGCTCACAACATTCTGTTATTATATGGTACCTGACTC  
TTGAACTCAATAGGAGTTGGTCTGCATAGGAATTGCAAGATCAAGCCCTTTGCTAC  
ACGTTGCTAACAGTATGCATCATGTTGAGACTTATTAAATTGGTACTGTTG  
TAACGGCTGAAAAAAATGTATAGAATGTTCTCATATGGTTGTAATTGAAATTCTA  
TTCATCTTCTAAAGGCTTTAAAGAATCTCTTACTGTGTACGTACACGTAC

ACACACATGACCTGATAATTCTGGATATTCTTCAGTAGGGTGTGGTGAATTTTATGT  
ATGTTATCTGAGTGTATAGGCCTCGCTCAGTAGGGTGTGGTGAATTTTATGT  
TATGTGATCTAAATAGAAGAGCTCTAGTGTCCAAGATATGTCCAATGGTATAAAA  
TGATATACATTACAGGAGTTGCGTTTGTACATTAGATTAGACAGAACCTCAGATG  
TGTCAAATGCAGTAAATGAGATGAGAGGCTCACTTATTCTAGATTGCTAAGAGAAG  
GAACACTTCCGGTTGGTACAAGAATCTGTGATTAGCCTGCCTGGATT  
TGGACCTTCAACAATGAAGGAGAACACCTGAAAAATGAGTCACTAAATCTAATTCA  
CTGAAGATTCTGACCACCTACTGAAAAACAGAGAATTGGAGATGCTGCAAATTGAT  
CtttttttGCTCTCCACTTGAATTGGGTGTGGTCTCATGAGCTCAGAGAA  
GATTGAATAGTCTCATGTAATTAGATGAGCAGATTCCATTATTGGCATTGTAATCCAA  
AGATATTTGTATCGTACTGGTCAAGAAACAATTAAAGTTGATAAAAACAAAAACC  
AGCTAACCGCCAAGTAGGTAAGGAATATTTGATGCTTGCTCAATAACAATCTCT  
CTATAAAAATCATGCCAACCTTTATGGCATAGAGGCAAAAGCACAAAACAAA  
AGTCAGCCACGAAACATTCCAAGACAGATACCCCAAAGCACTCAGTAACCTACTCCTA  
ATACCAAGTTTGGGTCCTCAAGTTGGACACAGCAGCACATAAAGGATTTTAAT  
ACAATACATTCAAATATTCAAGTTGATAATGGCAAATTACTTGGAGATCATTGAGCTAA  
TCTATTGTTGAGAAAATTGCAACCTTGTGAGTGACACATTGAAACAATT  
CCAACTTaaaaaaaaaaaaTCCTGTGTCAGTGTCTGAAATCACCCTGCTTATCTG  
TCATAGCTAGCTAAATAATGGTTACACTTAAACAGTGATTGTGAGTCTAAGGTTG  
ACATATATAGTAACATTACTAATCCTGGTAAGGTCTAAGATATTAGGGCATT  
ATCCTAAAGAGGATGAAATGACAGGTGATTACAGAGTCTGAAATTAGTATAATGG  
TTCACTCATTTGACCAAGCTGCATTTAAAGCATGTGGTATTAAAGTTAAGATAA  
CTACACAAACATATTTTACATACATTGATTCAATTAAAATTGTTGATATCAGC  
AATACCCCTCACCCTCATTATTGTTTAAAGGTTaaaaaaaaTTGCTAAAGATT  
TGTTAATTATCCTGGAGTAGTATAGTTGTTCCCCCATCTCCTCCATGAGGGAAA  
AACAGCTAGAAAAGAGGGGATTCCAGGCTCCCCCAGGTTCAAACAGGGTCCCCAGGAG  
GCTATTCTGTAGCGATGGACACTCATGGTCATCCACTGCCTAGGAGAGGCACACATG  
CTTCAGAAGTGTATGCATTGCCCAAGCTCAAGGCATTCAACAAAAAGGCAGGGAGCTC  
AAGTTAAATTATTATGATGGAGTTCACTCGGCCAGCTCCAAACCTGACTTGGAGAC  
CCAGTCTGGCAGTGTACCCCCCTGCCAGATGACAGCTCAAAGAAACATTCCCTGCT  
AACTGTGAGAGAAAGTTGCTGCATTCTGAAAATGGCTGCCACGAAGCAGGCACCGA  
GTTTCCCTACCAGGAAACCAGTTAAAAGAAAAGGTCCCCAGCATGCTCAATGACATTGG  
TACCGACCGGAGCACAGTTGAGTACCTTGAGTCAGTGGGATCTCCGGTACCGTGT  
TTGGTAAAGCCAAGGGGGCAGGCTGGAAAGGAGTGGTAGAAATAGGCCTAGCTTCTC  
ACAATGGTACCAACAGAGTTGCTCAGACATGTGGACTGATTAGATCAACGCTGAGCAG  
ATTATGGCACCACTACCAACTCAACGGAACGCAGAGCCCCCTGGCACTGTCAACC  
GCTCAACTATAGCGGACTGCCCAATATCTTCAATTGTTACCAATGCCATCCTGATA  
CTGCAAGAATTTCATTCCAGGACTTGCTCGTATCCAAGACACCGGAATCTAGCTTCTC  
AGTACTGATATTGCCCTGGTATGCATCACACCCATAGTCAGCTCGGTACCAACTGAATGC  
AACCACAGGTTAGTGTCTCCCCCTCCCCCAGTGAGGAGGACAATGAGGGAGGAG  
GAGGAGGTTACTTCACATTAACATACCACACCCACTCAACAGGAGTTACAGCTCA  
GATCCATTGTGAGGAGATACCAGCCTAGAGGTGATGCACATGGGTGATATGGACAT  
TTCCACCACACTGGCTTACTGGGCTGCATACAGACAGCAATTTCAGGCCCTAGCA  
CCCACAGAGAGAGAATGAGATGCTCCCCATCAGCCTGGGTGGCTAGACCCCCGAGTCTC  
AGGACAAGACATTGAGGAGCAGGATGAAAGAACTGATAAGGAAGCCACCTGAGCAGCCA  
TTTATTCCTAATCCTCTGGACGAGGCTGTGATGTCCTCTATAAGAACGGCCGTACT  
GGTCAGACCAAGGTCATCTAGCCAG

>T177\_TRINITY\_DN214142\_c4\_g1\_i3

AGACTCAGCTCTGACTCACAGCCCTTTATAGGGCCAGCTGTGGCCTAATTGGGTG  
CCCCAGCTGTGGCTGCCCTCCATCAGCCTATTCTATTGGCTCTCAGCCCCAGCCCTC

TCCAAGGGTTGGCTTTACTCTTCAGGCCAGAGCAGGGTACTGCCCACTACACAG  
CCAACAGTATTGGTCTGCCATGAGGGACCTGGATTAGCAGGGACACCGTGCATCTGGG  
TTTCCCAGACATGGCCTCTGCTTGGCCTCTGATCTCATCCAAGTAGATTCTGAAAT  
GTGAAGAAATGTCCAGGAGTTTCTTGCTTGCAGATAAGAAAAAAAGTTGTCCGCC  
CATCGGATCATTATCGACAGCGCCTTGTCTGCCGTGACCTGTATTCCCGATCCAGGA  
GCTAGCCAACGGCGTCATCCAAAGAGGAACCTGGACAAAGATAAGAAAAAAAGATGTCT  
GCCCATCGATTCAATTATCCGACAGCGCCTTGTCTGCCGTGACCTGTGTTCCAGTTCCA  
GGAGCAAGACACACTGTCGTATCCAAAGAGGAACCTGGACAAAGGT